

# DICHIARAZIONE DI CONFORMITÀ UE

Il Fabbricante  
ANSELL HEALTHCARE EUROPE N.V.  
RIVERSIDE BUSINESS PARK, BLOCK J  
BOULEVARD INTERNATIONAL 55  
B-1070 BRUSSELS  
BELGIUM

dichiara sotto la propria e unica responsabilità che il DPI descritto di seguito:

## AlphaTec® 87-029

*Prodotti fabbricati a partire da: [2022/01/04]*

### DPI da utilizzare contro i rischi di categoria III

EN388: 2016



2141A

EN 407



X2XXXX

EN ISO 374-1:2016  
Type A



AKLMPT

EN ISO 374-5:2016



è conforme alle disposizioni del regolamento (UE) 2016/425 e alle norme EN 388:2016 +A1:2018, EN407:2020, EN ISO 21420:2020, EN ISO 374-1:2016, EN ISO 374-5:2016, ed è identico al DPI che è soggetto all'esame UE del tipo (modulo B, allegato V al regolamento); con certificato numero 032/2021/0932 rilasciato dall'organismo notificato:

**CENTEXBEL (0493)  
TECHNOLOGIEPARK 70  
B-9052 ZWIJNAARDE  
BELGIUM**

ed è soggetto alla procedura di cui all'allegato VII (modulo C2) del regolamento, sotto la supervisione dell'organismo notificato:

**CENTEXBEL (0493)  
TECHNOLOGIEPARK 70  
B-9052 ZWIJNAARDE  
BELGIUM**



Guido Van Duren  
Director - Regulatory affairs  
Ansell

Luogo: Bruxelles  
Data: 2022/01/04

# DICHIARAZIONE DI CONFORMITÀ DEL PRODOTTO PER CONTATTO CON GLI ALIMENTI

L'operatore economico, stabilito nella Comunità europea:

**ANSELL HEALTHCARE EUROPE N.V.  
RIVERSIDE BUSINESS PARK, BLOCK J  
BOULEVARD INTERNATIONAL 55  
B - 1070 BRUSSELS**

dichiara che il guanto descritto di seguito:

**AlphaTec<sup>®</sup> 87-029**

Precedentemente conosciuti come ASTROFLEXTM 87-029

appartenente alla categoria "Elastomeri e gomma"

è conforme alle seguenti disposizioni:

regolamento CE 1935/2004 e regolamento CE 2023/2006 in materia di buone pratiche di fabbricazione (GMP) dei materiali e degli oggetti destinati a venire a contatto con prodotti alimentari (per maggiori informazioni, consultare la Dichiarazione di conformità alimentare BPF di Ansell)

Tutti gli ingredienti, monomeri di partenza, additivi nella produzione del guanto sono conformi:

- a qualsiasi elenco positivo;
- a eventuali restrizioni o limiti specifici di migrazione (SML - Specific Migration Limit) pertinenti; secondo quanto specificato nelle normative UE applicabili in materia di prodotti alimentari.

**Francia:** Arrêté du 5 août 2020, relatif aux matériaux et objets en caoutchouc destinés à entrer en contact avec des denrées alimentaires

**Italia:** D.M. 21/03/1973 Disciplina igienica degli imballaggi, recipienti, utensili, destinati a venire in contatto con le sostanze alimentari o con sostanze d'uso personale

**Germania:** BfR Empfehlung XXI (01.02.2023) Bedarfsgegenstände auf Basis von Natur- und Synthesekautschuk

**Paesi Bassi:** Regeling Verpakkingen en Gebruiksartikelen (Warenwet), Hoofdstuk III, Rubberproducten Verpakkingen

**Repubblica Ceca:** Vyhláška č. 38/2001 Sb. (Consolidato 2009-5-15) Allegato 07: elastomeri e prodotti in gomma - elenco dei materiali

**Slovacchia:** Výnos MPSR a MZSR z 9. júna 2003 č. 1799/2003 - 100, Annex 10

**FDA Code of Federal Regulations,** Titolo 21, Parte 177, sezione 2600 (21 CFR 177.2600) - Articoli in gomma destinati all'uso ripetuto

**Ansell Healthcare Europe N.V.**

Riverside Business Park, Block J

Boulevard International 55, 1070 Brussels, Belgium

Tel. +32 (0) 2 528 74 00 • Fax +32 (0) 2 528 74 01

<http://www.ansell.eu> • E-mail [info.europe@ansell.com](mailto:info.europe@ansell.com)

The Ansell logo consists of the word "Ansell" in a bold, blue, sans-serif font. A thick, teal-colored horizontal line is positioned below the letters 's' and 'e', extending from the left side of the 's' to the right side of the 'e'.

## Dati globali di migrazione:

Tipo di sostanze alimentari - Condizioni di test	Alimenti acquosi  <i>Simulante utilizzato: Acqua distillata</i>	Alimenti alcolici  <i>Simulante utilizzato: Etanolo 50%</i>	Alimenti acidi  <i>Simulante utilizzato: Acido acetico 3%</i>	Fattore di correzione alimenti grassi 1  <i>Simulante utilizzato: Etanolo 95%/Isoottano</i>	Fattore di correzione alimenti grassi 2  <i>Simulante utilizzato: Etanolo 95%/Isoottano</i>	Fattore di correzione alimenti grassi 3  <i>Simulante utilizzato: Etanolo 95%/Isoottano</i>	Fattore di correzione alimenti grassi 4  <i>Simulante utilizzato: Etanolo 95%/Isoottano</i>	Fattore di correzione alimenti grassi 5  <i>Simulante utilizzato: Etanolo 95%/Isoottano</i>
2 ore/temp. 40°C	< 8 mg/dm <sup>2</sup>	< 8 mg/dm <sup>2</sup>	< 8 mg/dm <sup>2</sup>	> 8 mg/dm <sup>2</sup>	> 8 mg/dm <sup>2</sup>	> 8 mg/dm <sup>2</sup>	< 8 mg/dm <sup>2</sup>	< 8 mg/dm <sup>2</sup>
10 min/40°C	< 10 mg/dm <sup>2</sup>	< 10 mg/dm <sup>2</sup>	< 10 mg/dm <sup>2</sup>	> 10 mg/dm <sup>2</sup>	> 10 mg/dm <sup>2</sup>	> 10 mg/dm <sup>2</sup>	< 10 mg/dm <sup>2</sup>	< 10 mg/dm <sup>2</sup>

La tolleranza analitica dei simulanti di alimenti acquosi, alcolici e acidi è di 1 mg/dm<sup>2</sup>, mentre per i simulanti di alimenti grassi è 3 mg/dm<sup>2</sup>, in base alla norma EN1186.

**Istruzioni per la conservazione:** non esporre alla luce diretta del sole; conservare in un locale fresco ed asciutto, all'interno dell'imballaggio originale. Tenere lontano da fonti di ozono. Se conservati correttamente, come indicato in precedenza, i guanti non perdono le loro prestazioni, né subiscono variazioni rilevanti delle loro caratteristiche. Se i guanti possono risentire dell'invecchiamento o del periodo di conservazione, la data di scadenza viene riportata sui materiali di imballaggio.



Guido Van Duren  
Director - Regulatory affairs  
Ansell

Data 06/11/2024

**Ansell Healthcare Europe N.V.**  
Riverside Business Park, Block J  
Boulevard International 55, 1070 Brussels, Belgium  
Tel. +32 (0) 2 528 74 00 • Fax +32 (0) 2 528 74 01  
<http://www.ansell.eu> • E-mail [info.europe@ansell.com](mailto:info.europe@ansell.com)



# EU DECLARATION OF CONFORMITY

The Manufacturer  
**ANSELL HEALTHCARE EUROPE N.V.**  
**RIVERSIDE BUSINESS PARK, BLOCK J**  
**BOULEVARD INTERNATIONAL 55**  
**B-1070 BRUSSELS**  
**BELGIUM**

declares under his sole responsibility, that the PPE described hereafter:

**AlphaTec® 87-029**

*Products manufactured as of: [2022/01/04]*

**PPE to be used against category III risks**

EN388: 2016



**2141A**

EN 407



**X2XXXX**

EN ISO 374-1:2016  
Type A



**AKLMPT**

EN ISO 374-5:2016



is in conformity with the provisions of Regulation (EU) 2016/425 and with the standards EN 388:2016 +A1:2018, EN407:2020 , EN ISO 21420:2020, EN ISO 374-1:2016, EN ISO 374-5:2016 and is identical to the PPE which is subject to the EU-Type examination (Module B, Annex V of the Regulation), under certificate number 032/2021/0932, issued by the Notified Body:

**CENTEXBEL (0493)**  
**TECHNOLOGIEPARK 70**  
**B-9052 ZWIJNAARDE**  
**BELGIUM**

and is subject to the procedure set out in Annex VII (Module C2) of the Regulation under the supervision of the Notified Body:

**CENTEXBEL (0493)**  
**TECHNOLOGIEPARK 70**  
**B-9052 ZWIJNAARDE**  
**BELGIUM**



Guido Van Duren  
Director - Regulatory affairs  
Ansell

Place: Brussels  
Date: 2022/01/04

# FOOD DECLARATION OF PRODUCT COMPLIANCE

The Business Operator, established in the European Community:

**ANSELL HEALTHCARE EUROPE N.V.  
RIVERSIDE BUSINESS PARK, BLOCK J  
BOULEVARD INTERNATIONAL 55  
B-1070 BRUSSELS**

declares that the glove described hereafter:

**AlphaTec® 87-029**

Formerly known as ASTROFLEXTM 87-029

belonging to the "Elastomers & Rubber" category

is in conformity with the following provisions:

the EC-regulation 1935/2004 and the EC-regulation 2023/2006 related to Good Manufacturing Practices (GMP) for Materials and Articles intended to come in contact with Foodstuffs (for more detailed information please also consult Ansell GMP Food Declaration).

All ingredients, starting monomers, additives used in manufacturing this glove comply with:

- any positive list
- any relevant SML(Specific Migration Limit) or restrictions as specified in the applicable EU food legislations.

**France:** Arrêté du 5 août 2020, relatif aux matériaux et objets en caoutchouc destinés à entrer en contact avec des denrées alimentaires

**Italy:** D.M. 21/03/1973 Disciplina igienica degli imballaggi, recipienti, utensili, destinati a venire in contatto con le sostanze alimentari o con sostanze d'uso personale

**Germany:** BfR Empfehlung XXI (01.02.2023) Bedarfsgegenstände auf Basis von Natur- und Synthesekautschuk

**Netherlands:** Regeling Verpakkingen en Gebruiksartikelen (Warenwet), Hoofdstuk III, Rubberproducten Verpakkingen

**Czech Republic:** Vyhláška č. 38/2001 Sb. (Consolidated 2009-5-15) Annex 07: Elastomers and rubber products - list of materials

**Slovakia:** Výnos MPSR a MZSR z 9. júna 2003 č. 1799/2003 - 100, Annex 10

**FDA Code of Federal Regulations,** Title 21, Part 177, section 2600 (21 CFR 177.2600) - Rubber articles intended for repeated use

**Ansell Healthcare Europe N.V.**

Riverside Business Park, Block J

Boulevard International 55, 1070 Brussels, Belgium

Tel. +32 (0) 2 528 74 00 • Fax +32 (0) 2 528 74 01

<http://www.ansell.eu> • E-mail [info.europe@ansell.com](mailto:info.europe@ansell.com)



## Global migration data:

Type of foodstuffs - Testing conditions	Aqueous food  <i>Simulant used: Distilled Water</i>	Alcoholic food  <i>Simulant used: Ethanol 50%</i>	Acidic food  <i>Simulant used: Acetic acid 3%</i>	Fatty food correction factor 1  <i>Simulant used: Ethanol 95%/Isooctane</i>	Fatty food correction factor 2  <i>Simulant used: Ethanol 95%/Isooctane</i>	Fatty food correction factor 3  <i>Simulant used: Ethanol 95%/Isooctane</i>	Fatty food correction factor 4  <i>Simulant used: Ethanol 95%/Isooctane</i>	Fatty food correction factor 5  <i>Simulant used: Ethanol 95%/Isooctane</i>
2 hours/temp. 40°C	< 8 mg/dm <sup>2</sup>	< 8 mg/dm <sup>2</sup>	< 8 mg/dm <sup>2</sup>	> 8 mg/dm <sup>2</sup>	> 8 mg/dm <sup>2</sup>	> 8 mg/dm <sup>2</sup>	< 8 mg/dm <sup>2</sup>	< 8 mg/dm <sup>2</sup>
10min/40°C	< 10 mg/dm <sup>2</sup>	< 10 mg/dm <sup>2</sup>	< 10 mg/dm <sup>2</sup>	> 10 mg/dm <sup>2</sup>	> 10 mg/dm <sup>2</sup>	> 10 mg/dm <sup>2</sup>	< 10 mg/dm <sup>2</sup>	< 10 mg/dm <sup>2</sup>

Analytical tolerance for aqueous, alcoholic and acidic food simulant is 1mg/dm<sup>2</sup> and for fatty food simulant is 3mg/dm<sup>2</sup> as per EN 1186.

**Storage instruction:** Keep away from direct sunlight; store in a cool dry place and keep in the original packaging. Keep away from ozone sources. If gloves are properly stored, as indicated above, they won't lose their performances and won't change the glove characteristics significantly. If gloves could be affected by ageing or storage, the expiry date is mentioned on the packaging materials.



Guido Van Duren  
Director - Regulatory affairs  
Ansell

Date 06/11/2024

**Ansell Healthcare Europe N.V.**  
Riverside Business Park, Block J  
Boulevard International 55, 1070 Brussels, Belgium  
Tel. +32 (0) 2 528 74 00 • Fax +32 (0) 2 528 74 01  
<http://www.ansell.eu> • E-mail [info.europe@ansell.com](mailto:info.europe@ansell.com)

